

 **FINEASTRA**[®]
FINESTRA IN ALLUMINIO

PART OF YOUR HOME



W40

W40 IS DESIGNED TO MEET ALL MODERN REQUIREMENTS IN A BUILDING AS FAR AS CONSTRUCTION, TECHNOLOGY AND AESTHETICS IS CONCERNED, WHILE NOT EXCEEDING BUDGETED COSTS.

Functional and complete regarding available typologies, wide variety of profiles for the construction of both curved and straight-line profiles.

Compact 37 mm and 45 mm frames system (for straight and round profiles accordingly)

Wall Thickness: 1,2 mm

Glass thickness: Between 4 and 24 mm

Wide range of accessories that guarantee long lasting functionality and durability

High aesthetics and functionality

Economically attractive solutions

Safe constructions

Multiple solutions, especially for main entrances

Adequate sealing

A capability of powder painting in any RAL colour, special woodgrain patterns and other surface processing methods - anodizing

Possibility to be combined in one window with **SW28** Sliding System

W50/ W50 PLUS

W50 IS DESIGNED TO MEET ALL MODERN REQUIREMENTS IN A BUILDING AS FAR AS CONSTRUCTION, TECHNOLOGY AND AESTHETICS.

Functional and complete regarding available typologies, wide variety of profiles for the construction of both curved and straight-line profiles.

Compact 47 mm and 55 mm frames system (for straight and round profiles accordingly)

Wall Thickness: **W50 - 1,3 mm** and **W50 Plus - 1,8 mm**

Glass Thickness: Between 4 and 34 mm

Wide range of accessories that guarantee long lasting functionality and durability

High aesthetics and functionality

Economically attractive solutions

Safe constructions

Multiple solutions, especially for main entrances

Adequate sealing

A capability of powder painting in any RAL colour, special woodgrain patterns and other surface processing methods - anodizing

Possibility to be combined in one window with **SW28** Sliding System



WT68/ WT68 PLUS

NEW generation thermal system with last trend Flat design ■

Sash width 68 mm (Frame width 61 and 72 mm for straight and round profiles accordingly) ■

Wall Thickness: **WT68 – 1,4 mm** and **WT68 Plus – 2,0 mm** ■

Glass Thickness: Between 20 and 50 mm ■

Common corner joints with all other Fineastra System ■

Common accessories and profiles for ECO and PLUS versions ■

Eurogroove and PVC Sashes options ■

Adequate sealing with EPDM gasket solutions ■

Safe constructions ■

Multiple solutions ■

A capability of powder painting in any RAL colour, special woodgrain patterns and other surface processing methods – anodizing ■



WT75/ WT75 PLUS

NEW generation thermal system with last trend Flat design ■

Sash width 75 mm (Frame width 67 and 78 mm for straight and round profiles accordingly) ■

Wall Thickness: **WT75 – 1,4 mm** and **WT75 Plus – 2,0 mm** ■

Glass Thickness: Between 24 and 56 mm ■

Common corner joints with all other Fineastra System ■

Common accessories and profiles for ECO and PLUS versions ■

Eurogroove and PVC Sashes options ■

Adequate sealing with EPDM gasket solutions ■

Safe constructions ■

Multiple solutions ■

A capability of powder painting in any RAL colour, special woodgrain patterns and other surface processing methods - anodizing ■



WT85/ WT85 PLUS

NEW generation thermal system
with last trend Flat design

Sash width 85 mm (Frame width 77 and 88 mm for
straight and round profiles accordingly)

Wall Thickness: **WT85 – 1,4 mm** and **WT85 Plus – 2,0 mm**

Glass Thickness: Between 24 and 66 mm

Common corner joints with all other Fineastra System

Common accessories and profiles for
ECO and PLUS versions

Eurogroove and PVC Sashes options

Adequate sealing with EPDM gasket solutions

Safe constructions

Multiple solutions

A capability of powder painting in any RAL colour, special
woodgrain patterns and other surface processing methods – anodizing



SW28

**SW28 IS DESIGNED TO MEET ALL MODERN
REQUIREMENTS IN A BUILDING
AS FAR AS CONSTRUCTION, TECHNOLOGY
AND AESTHETICS IS CONCERNED,
WHILE NOT EXCEEDING BUDGETED COSTS.**

Functional and complete regarding available typologies,
wide variety of profiles for the construction.

Compact 28 mm sash system

Wide range of accessories designed by DEMSAŞ that guarantee long
lasting functionality and durability

High aesthetics and functionality

Economically attractive solutions

Frame with Single, Double and triple sliding rails
with possibility for sliding fly -screening

Safe constructions

Adequate sealing

A capability of powder painting in any RAL colour, special woodgrain
patterns and other surface processing methods - anodizing

Possibility to be combined in one window with **W40 and W50** Opening System

PARAPETTO

ALUMINIUM RAILING SYSTEM

With its **Classic** (Rounded) and **Square Design**, Parapetto Aluminium Railings have too many advantages and properties that make it the ideal choice for many applications: corrosion resistance, high strength, low weight among others.



FENCE 50

Variety of options available in different colours, that enables you to choose the style that suits your decor, without having to compromise on quality.

- a) powder coat finishes such as silver, Antracit Grey or black,
- b) Anodising
- c) Wood-look,

It provides additional security, privacy, and a barrier between areas. It can contain pets and children, and provides a decorative feel.

Aluminium is long-lasting and recyclable material, which means you won't have to worry about replacing your fence any time soon.

No chemicals leach into the surrounding soil from your fence,

Fast and easy installation,

Compatible With Most Topography

More Secure Than Some Other Materials



BHVeranda

BHVeranda - extends your living space while protecting you from the weather conditions



MD40

MD40 system have a large number of benefits for any home with practical health and safety implications. The days of industrial looking of boring fly screens are long gone. The addition of MD40 fly screens to all doors in home is a worthwhile investment that will provide an eternal return.

Add aesthetics of your home ■

Extra Security: MD40 is a great way of keeping flies out of your home ■

Added Privacy: as most of the mesh constructions make it difficult for someone outside to see inside, particularly from a distance. Conversely, those inside can still see outdoors with ease. ■

Improved Health with allowing you to take advantage of natural breezes, natural light and fresh air. ■

Saving energy: This natural ventilation can help keep an entire home cool during the warmer months without the need to constantly run expensive air conditioning systems to regulate indoor temperatures. These energy savings are beneficial for both the household budget and environment. ■

Variety of options available in different colours that suit to any décor or design. ■



SWT38

Thermal sliding system
with 38 mm sash width



S38T

CLASSIC LINE

Thermal sliding system
with 38 mm sash width

In Developing Process



DFC50

Classic Curtain Wall
with 50 mm width of
columns and transoms



DFS50

Structural Curtain Wall
with 50 mm width of
columns and transoms



**Warehouse Stara Zagora, Bulgaria,
16 Kaloyanovsko shose str.
Phone:0876 77 52 29 / 0895 65 5088**

**Warehouse Sofia, Bulgaria,
Gorublyane, 7 Samokovsko shose str.
Phone:0899 67 75 99**

Visit us at www.smartprofil.bg

**Warehouse V.Turnovo, Bulgaria,
1 Rada Voivoda str.
Phone:0887 91 89 20**

**Warehouse Plovdiv, Bulgaria,
112 Tsarigradsko shose Blvd.
Phone:0887 77 26 26**


smartprofil